



LEIDINGBEUGELS STANDAARD ENKEL DIN 3015

Leidingbeugels




6

BG	omschrijving	mm	pijp inch	inch	L1	L2	H	S	B	code	rubber
1	SKEP1-06	6			28	9,5	27	0,6	30	86000755	86010755 *
	SKEP1-6,4	6,4		1/4"						86000757	86010757 *
	SKEP1-08	8		5/16"						86000760	86010760 *
	SKEP1-9,5	9,5		3/8"						86000763	86010763 *
	SKEP1-10	10	1/8"							86000765	86010765 *
	SKEP1-12	12								86000770	86010770 *
	SKEP1-12,7	12,7		1/2"						86000772	86010772 *
2	SKEP2-06	6			37	20	27	0,6	30	86000775	86010775 *
	SKEP2-6,4	6,4		1/4"						86000776	86010776 *
	SKEP2-08	8		5/16"						86000780	86010780 *
	SKEP2-9,5	9,5		3/8"						86000783	86010783 *
	SKEP2-10	10	1/8"							86000785	86010785 *
	SKEP2-12	12								86000790	86010790 *
	SKEP2-12,7	12,7		1/2"						86000792	86010792 *
3	SKEP3-12,7	12,7		1/2"	42	26	33	0,8	30	86000793	86010793
	SKEP3-13,5	13,5	1/4"							86000794	86010794
	SKEP3-14	14								86000800	86010800
	SKEP3-15	15								86000805	86010805
	SKEP3-16	16		5/8"						86000810	86010810
	SKEP3-17,2	17,2	3/8"							86000820	86010820
	SKEP3-18	18								86000830	86010830
4	SKEP4-19	19		3/4"	50	33	36	0,8	30	86000833	86010833
	SKEP4-20	20								86000840	86010840
	SKEP4-21,3	21,3	1/2"							86000841	86010841
	SKEP4-22	22		7/8"						86000850	86010850
	SKEP4-23	23								86000852	86010852
	SKEP4-25	25								86000870	86010870
	SKEP4-25,4	25,4		1"						86000872	86010872
5	SKEP5-26,9	26,9	3/4"		57	40	42	1	30	86000875	86010875
	SKEP5-28	28								86000880	86010880
	SKEP5-29	29								86000882	86010882
	SKEP5-30	30								86000890	86010890
	SKEP5-32	32		1.1/4"						86000895	86010895
6	SKEP6-32	32		1.1/4"	71	52	58	1,4	30	86000900	86010900
	SKEP6-33,7	33,7	1"							86000906	86010906
	SKEP6-35	35		1.1/2"						86000910	86010910
	SKEP6-38	38								86000920	86010920
	SKEP6-40	40								86000930	86010930
	SKEP6-42	42,4	1.1/4"							86000940	86010940
	SKEP6-45	45								86000945	86010945


LEIDINGBEUGELS STANDAARD ENKEL DIN 3015

Leidingbeugels



BG	omschrijving	mm	pijp inch	inch	L1	L2	H	S	B	code	rubber
7	SKEP7-44,5	44,5		1.3/4"	86	66	66	1,4	30	86000946	86010946
	SKEP7-45	45		86000947						86010947	
	SKEP7-48	48,3	1.1/2"	86000948						86010948	
	SKEP7-50	50		86000949						86010949	
	SKEP7-50,8	50,8		2"						86000950	86010950
	SKEP7-53	53		86000951						86010951	
	SKEP7-54	54	1.3/4"	86000952						86010952	
8	SKEP8-57,2	57,2		2.1/4"	121	94	93	2	30	86000953	86010953
	SKEP8-60,3	60,3	2"	86000954						86010954	
	SKEP8-63,5	63,5		2.1/2"						86000955	86010955
	SKEP8-66	66		86000956						86010956	
	SKEP8-70	70		2.3/4"						86000957	86010957
	SKEP8-73	73		86000958						86010958	
9	SKEP8-76,1	76,1	2.1/2"	3"	147	120	118	3	30	86000959	86010959
	SKEP9-88,9	88,9	3"	3.1/2"						86000960	86010960
	SKEP9-102	102	3.1/2"	4"						86000961	86010961


Lasplaten



BG	omschrijving	L1	L2	B	S	H	ØD	art nr	art nr rvs
1	SPE-1	31,5	10	30	3	6,5	12	86000199	86010199
2	SPE-2	36	20	30	3	6,5	12	86000200	86010200
3	SPE-3	42	26	30	3	6,5	12	86000210	86010210
4	SPE-4	50	33	30	3	6,5	12	86000220	86010220
5	SPE-5	60	40	30	3	6,5	12	86000230	86010230
6	SPE-6	71	52	30	3	6,5	12	86000240	86010240
7	SPE-7	88	66	30	3	6,5	12	86000250	86010250
8	SPE-8	122	94	30	3	6,5	12	86000251	86010251
9	SPE-9	148	120	30	3	6,5	12	86000252	86010252

LEIDINGBEUGELS STANDAARD ENKEL DIN 3015


Verlengde lasplaten



BG	omschrijving	L1	L2	L3	B	S	H	ØD	art nr	art nr rvs
1	SPEL-1	58	24,5	44	30	3	6,5	12	86000190	86010190
2	SPEL-2	64	20	50	30	3	6,5	12	86000191	86010191
3	SPEL-3	70	26	56	30	6,5	M6	12	86000192	86010192
4	SPEL-4	78	33	64	30	6,5	M6	12	86000193	86010193
5	SPEL-5	87	40	73	30	6,5	M6	12	86000194	86010194
6	SPEL-6	100	52	86	3	6,5	M6	12	86000195	86010195
7	SPEL-7	115	66	100	3	6,5	M6	12	86000196	86010196
8	SPEL-8	150	94	136	3	6,5	M6	12	86000197	86010197
9	SPEL-9	178	120	162	162	6,5	M6	12	86000198	86010198

6


Twin las platen



BG	omschrijving	L1	L2	L3	B	S	H	ØD	art nr	art nr rvs
1	SPED-1	87	40	40	30	3	6,5	12	86000183	86010183
2	SPED-2	76	20	40	30	3	6,5	12	86000184	86010184
3	SPED-3	88	26	44	30	6,5	6,5	12	86000185	86010185
4	SPED-4	102	33	51	30	6,5	6,5	12	86000186	86010186
5	SPED-5	120	40	60	30	6,5	6,5	12	86000187	86010187
6	SPED-6	150	52	75	30	6,5	6,5	12	86000188	86010188
7	SPED-7	180	66	90	30	6,5	6,5	12	86000189	86010189


LEIDINGBEUGELS STANDAARD ENKEL DIN 3015

Las strips



BG	omschrijving	L1	L2	L3	B	S	H	ØD	art nr	art nr rvs
1	SPER-1	310	31	31	30	4	6,5	12	86001205	86011205
2	SPER-2	380	20	38	30	4	6,5	12	86001210	86011210
3	SPER-3	440	26	44	30	4	6,5	12	86001215	86011215
4	SPER-4	520	33	52	30	4	6,5	12	86001220	86011220
5	SPER-5	300	40	60	30	4	6,5	12	86001225	86011225
6	SPER-6	375	52	75	30	4	6,5	12	86001230	86011230
7	SPER-7	450	66	90	30	4	6,5	12	86001235	86011235

Dekplaten




BG	omschrijving	L1	L2	B	S	ØD	art nr	art nr rvs
1	DPE-1	27,5	7	30	3	7	86000259	86010259
2	DPE-2	34,5	20	30	3	7	86000260	86010260
3	DPE-3	40,5	26	30	3	7	86000270	86010270
4	DPE-4	48	33	30	3	7	86000280	86010280
5	DPE-5	56,5	40	30	3	7	86000290	86010290
6	DPE-6	69,5	52	30	3	7	86000300	86010300
7	DPE-7	85,5	66	30	3	7	86000310	86010310
8	DPE-8	118	94	30	3	7	86000311	86010311
9	DPE-9	144	120	30	3	7	86000312	86010312

LEIDINGBEUGELS STANDAARD ENKEL DIN 3015

Bouten tbv gebruik met dekplaat


BG	omschrijving	DxL
1	ASE-1-2	M6X30
2	ASE-1-2	M6X30
3	ASE-3 / ASD 1	M6X35
4	ASE-4	M6X40
5	ASE-5	M6X45
6	ASE-6	M6X60
7	ASE-7	M6X70
8	ASE-8	M6X100
9	ASE-9	M6X125



art nr	art nr rvs
86000330	86010330
86000330	86010330
86000340	86010340
86000350	86010350
86000360	86010360
86000370	86010370
86000380	86010380
86000381	86010381
86000382	86010382

Bouten tbv gebruik met bus B

BG	omschrijving	DxL
1	ASEB-1-2	M6X27
2	ASEB-1-2	M6X27
3	ASEB-3	M6X32
4	ASEB-4	M6X35
5	ASEB-5	M6X42
6	ASEB-6	M6X57
7	ASEB-7	M6X65




art nr	art nr rvs
86000389	86010389
86000389	86010389
86000390	86010390
86000391	86010391
86000392	86010392
86000393	86010393
86000394	86010394

6

Bus B


BG	omschrijving
alle	Bus B M6



D1	D2	H	art nr	art nr rvs
11,5	6,5	8	86000395	86010395

Inbusbouten


BG	omschrijving	DxL
1	ISE-1-2	M6X20
2	ISE-1-2	M6X20
3	ISE-3	M6X25
4	ISE-4	M6X30
5	ISE-5 /ISD-1	M6X35
6	ISE-6	M6X50
7	ISE-7	M6X60
8	ISE-8	M6X90
9	ISE-9	M6X110



art nr	art nr rvs
86000397	86010397
86000397	86010397
86000398	86010398
86000399	86010399
86000400	86010400
86000401	86010401
86000402	86010402
86000403	86010403
86000382	86010382

LEIDINGBEUGELS STANDAARD ENKEL DIN 3015


Opbouw bouten



BG	omschrijving	D	L1	L2	L3	zk	art nr	art nr rvs
1	EABS-1 - 2	M6	34	20	14	11	86000372	86010372
2	EABS-1 - 2	M6	34	20	14	11	86000372	86010372
3	EABS-3	M6	39	25	14	11	86000373	86010373
4	EABS-4	M6	43	29	14	11	86000374	86010374
5	EABS-5	M6	49	35	14	11	86000375	86010375
6	EABS-6	M6	64	50	15	11	86000376	86010376
7	EABS-7	M6	73	59	14	11	86000377	86010377
8	EABS-8	M6	99	85	14	11	86000378	86010378
9	EABS-9	M6	124	110	14	11	86000379	86010379


Montage rail moeren

BG	omschrijving
-	ETS M6



art nr	art nr rvs
86000383	86010383


Montage rails



BG	omschrijving	lengte	B1	B2	H	S	art nr	art nr rvs
-	ETS 11MM	2 mtr	28	11	11	2	86002600	86012600
-	ETS 14MM	2 mtr	28	11	14	2	86002601	86012601
-	ETS 30MM	2 mtr	28	11	30	2	86002602	86012602

LEIDINGBEUGELS STANDAARD ENKEL DIN 3015


Zekerplaat tbv opbouwschroef




BG	omschrijving	L	B1	B2	S	art nr	art nr rvs
1	SBE-1	17	32	11,2	1	86002603	86012603
2	SBE-2	33	28	11,2	1	86002604	86012604
3	SBE-3	39	28	11,2	1	86002605	86012605
4	SBE-4	47	28	11,1	1	86002606	86012606
5	SBE-5	54	28	11,2	1	86002607	86012607
6	SBE-6	66	28	11,2	1	86002608	86012608
7	SBE-7	80,3	28	11,2	1	86002609	86012609
8	SBE-8	117	28	11,2	1	86002610	86012610
9	SBE-9	143	28	11,2	1	86002611	86012611

Divers

BG	omschrijving
-	ring M6
-	Vr ring M6




art nr	art nr rvs
86000387	86000387
86000388	86000388



LEIDINGBEUGELS STANDAARD DUBBEL DIN 3015


Leidingbeugels PP



BG	omschrijving	mm	pijp inch	inch	L1	L2	H	S	B	code	rubber
1	SKDP1-06	6			36	20	27	0,6	30	86000968	
	SKDP1-6,4	6,4		1/4"						86000969	
	SKDP1-08	8		5/16"						86000970	
	SKDP1-9,5	9,5		3/8"						86000972	
	SKDP1-10	10	1/8"							86000980	
	SKDP1-12	12								86000990	
	SKDP1-12,7	12,7		1/2"						86000991	
2	SKDP2-12,7	12,7		1/2"	53	29	27	0,8	30	86000992	
	SKDP2-13,5	13,5	1/4"							86000994	
	SKDP2-14	14								86001010	
	SKDP2-15	15								86001020	
	SKDP2-16	16		5/8"						86001030	
	SKDP2-17,2	17,2	3/8"							86001032	
	SKDP2-18	18								86001040	
3	SKDP3-19	19		3/4"	67	36	37	1	30	86001045	
	SKDP3-20	20								86001060	
	SKDP3-21,3	21,3	1/2"							86001065	
	SKDP3-22	22		7/8"						86001070	86011070
	SKDP3-23	23								86001073	
	SKDP3-24	24								86001075	
	SKDP3-25	25								86001080	
4	SKDP3-25,4	25,4		1"	81	45	42	1	30	86001082	
	SKDP4-26	26								86001084	
	SKDP4-26,9	26,9	3/4"							86001086	
	SKDP4-28	28								86001090	
	SKDP4-30	30								86001100	
5	SKDP5-32	32		1.1/4"	106	56	53	1,2	30	86001105	
	SKDP5-33,7	33,7	1"							86001110	
	SKDP5-35	35		1.1/2"						86001120	
	SKDP5-38	38								86001130	
	SKDP5-40	40								86001135	
	SKDP5-42	42,4	1.1/4"							86001138	
	SKDP5-45	45								86001141	


LEIDINGBEUGELS STANDAARD DUBBEL DIN 3015

Lasplaten




BG	omschrijving	L1	L2	B	S	H	ØD	art nr	art nr rvs
1	SPD-1	31,5	10	30	3	6,5	12	86000535	86010535
2	SPD-2	36	20	30	3	6,5	12	86000540	86010540
3	SPD-3	42	26	30	3	6,5	12	86000550	86010550
4	SPD-4	50	33	30	3	6,5	12	86000560	86010560
5	SPD-5	60	40	30	3	6,5	12	86000570	86010570

5 voudige lasstrips



BG	omschrijving	L1	L2	L3	B	S	H	ØD	art nr	art nr rvs
1	SPDR-1	196	40	18	30	3	6,5	12	86000571	86010571
2	SPDR-2	288	58	28	30	5	6	14	86000572	86010572
3	SPDR-3	358	72	35	30	5	6	14	86000573	86010573
4	SPDR-4	444	90	42	30	5	6	14	86000574	86010574
5	SPDR-5	558	112	55	30	5	6	14	86000575	86010575

Dekplaten




BG	omschrijving	L1	B	H	S	ØD	art nr	art nr rvs
1	DPD-1	34,5	30	7	3	7	86000495	86010495
2	DPD-2	52	30	7	3	9	86000500	86010500
3	DPD-3	64	30	7	3	9	86000510	86010510
4	DPD-4	79	30	7	3	9	86000520	86010520
5	DPD-5	102,5	30	7	3	9	86000530	86010530

LEIDINGBEUGELS STANDAARD DUBBEL DIN 3015

Bouten tbv gebruik met dekplaat


BG	omschrijving	DxL
1	ASD-1 / ASE-3	M6X35
2	ASD-2	M8X35
3	ASD-3	M8X45
4	ASD-4	M8X50
5	ASD-5	M8X60



art nr	art nr rvs
86000340	86010340
86000700	86010700
86000710	86010710
86000720	86010720
86000730	86010730

Bouten tbv gebruik met bus B of ring

BG	omschrijving	DxL
1	ASE-1-2	M6X30
2	ASDB-2	M8X30
3	ASDB-3	M8X40
4	ASDB-4	M8X45
5	ASDB-5	M8X55




art nr	art nr rvs
86000330	86010330
86000407	86010407
86000408	86010408
86000409	86010409
86000410	86010410


BG	omschrijving
1	Bus B M6



D1	D2	H	art nr	art nr rvs
11,5	6,5	8	86000395	86010395




BG	omschrijving
1	Ring M6
2 - 5	Ring M8



D1	D2	H	art nr	art nr rvs
22	6,5	2	86000387	86000387
22	8,5	2	86000388	86010388

Inbusbouten


BG	omschrijving	DxL
1	ISE-5 /ISD-1	M6X35
2	ISD-2	M8X35
3	ISD-3	M8X45
4	ISD-4	M8X50
5	ISD-5	M8X60



art nr	art nr rvs
86000400	86010400
86000413	86010413
86000414	86010414
86000415	86010415
86000416	86010416


LEIDINGBEUGELS STANDAARD DUBBEL DIN 3015

Opbouwbouten




BG	omschrijving	D	L1	L2	L3	CH	art nr	art nr rvs
1	EABS-1 - 2	M6	34	20	14	11	86000418	86010418
2	ABD-2	M8	33	20	15	12	86000419	86010419
3	ABD-3	M8	44	29	15	12	86000420	86010420
4	ABD-4	M8	49	34	15	12	86000421	86010421
5	ABD-5	M8	61	46	15	12	86000422	86010422

Montage rail moeren



BG	omschrijving	L	B	H1	H2	D	art nr	art nr rvs
-	ETSM M6	25,5	10,4	14,5	5,5	11,8	86000383	86010383
-	ETSM M8	25,5	10,4	13,5	5	13,8	86000384	86010384


Montage rails



BG	omschrijving	lengte	B1	B2	H	S	art nr	art nr rvs
-	ETS 11MM	2 mtr	28	11	11	2	86002600	86012600
-	ETS 14MM	2 mtr	28	11	14	2	86002601	86012601
-	ETS 30MM	2 mtr	28	11	30	2	86002602	86012602

LEIDINGBEUGELS STANDAARD DUBBEL DIN 3015

Zekerplaat tbv opbouwschroef



BG	omschrijving	L	B1	B2	S	art nr	art nr rvs
1	SBD-1	27	22	11,2	0,5	86000424	86010424
2 t/m 5	SBD-2-5	27	22	12,2	0,5	86000425	86010425

